



3218 Commander Dr. #100  
Carrollton, TX, 75006, US  
DEA Number: FEI #: 3027255510

Sample: CA41002002-003  
Harvest/Lot ID: OPCOQ424  
Batch#: 0514  
Batch Date: 10/01/24  
Sample Size Received: 20 gram  
Retail Product Size: 100 gram  
Ordered: 10/01/24  
Sampled: 10/01/24  
Completed: 10/04/24

# Certificate of Analysis

Oct 04, 2024 | TCF Marketing  
12011 Starcrest Dr  
San Antonio, TX, 78247, US



**PASSED**  
Page 1 of 1

PRODUCT IMAGE



SAFETY RESULTS

Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED

MISC.



Potency

**PASSED**



Total THC  
**0.071%**



Total Cannabinoids  
**0.071%**

	CBDVA	CBDV	CBDA	CBD	CBGA	CBG	CBN	CBC	THCA	D9-THC	THCV	D8-THC
%	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.071	ND	ND
mg/g	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.71	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%	%

Testing was completed at a reference facility with DEA Number:  
RP0607436 ISO/IEC 17025:2017 Certificate #: 6400.01

This report shall not be reproduced, unless in its entirety, without written approval from Certified Laboratories/Labstat. This report is a Certified Laboratories/Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. Some testing may be performed at Blue Bonnet Labs (DEA#RP0607436). ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Ray Collins  
Lab Director

State License # NA  
ISO Accreditation # L22-753

*Ray Collins*

Signature

10/04/24

Signed On